



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|-----------------|------------------|--------------|-----------------|------------------|
| 1/8 INCH | GREASE FITTING | | AM1018 | SMV |
| 1002573 | PIN | 25 / 25A | AM2P1-11/4 | 6.8 NS |
| 1002573 1/16 OS | PIN, OS | | AM2P1-15/16 | 7.6 NS |
| 1002573 1/8 OS | PIN, OS | | AM2P1-13/8 | 8.3 NS |
| 1031683 | PINION | 500 | AM578 | 55.0 NS |
| 1034179 | USE 1400505 | 1100 | | NS |
| 1034452 | SHAFT | 500 | AM546 | 15.0 |
| 1054007 | USE 804725 | 900 | | |
| 1054476 | USE 1101611 | 900 | | |
| 1058580 | ROLLER | 900 | AM94R1 | 125.0 NS |
| 1058581 | ROLLER ASSY | 900 | AM94R1BX | 999.0 NS |
| 1073337 | USE 501001 | 900 | | |
| 1079563 | USE 401107 | | | |
| 1101609 | USE 1101611 | | | |
| 1101611 | CHAIN LINK | 1100,900 | PC6024 | 22.2 |
| 1101612 | USE 1101611 | 1100 | | |
| 1101614 | USE 1101611 | | | |
| 1101993 | BUSHING | 900 | AM961 | 22.0 |
| 1101994 | BUSHING | 900 | AM962 | 24.0 |
| 1102026 | SHAFT | 700 | AM742 | 22.5 |
| 1102228 | CHAIN ASSY | 900 | PC6024-56 | 1,244.0 New |
| 1103083 | GEAR, BEVEL, 17T | 900 | AM983 | 174.0 NS |
| 1103084 | GEAR, BEVEL | 900 | AM988 | 174.1 NS |
| 1103096 | USE 308011 | | | |
| 1103408 | USE 1105488 | | | |
| 1103409 | USE 1105507 | | | |
| 1103410 | USE 1105508 | | | |
| 1103411 | USE 1105509 | | | |
| 1103498 | USE 1107271 | | | |
| 1103499 | USE 1107273 | | | |
| 1103501 | USE 1107275 | | | |
| 1103502 | USE 1107277 | | | |
| 1103818 | USE 1107277 | | | |
| 1103819 | USE 1107275 | | | |
| 1103821 | USE 1104126 | | | |
| 1103840 | USE 1104127 | | | |
| 1104126 | ROLLER ASSY | 700,900 | AM90R3B | 222.0 |
| 1104127 | ROLLER ASSY | 700 | AM70R2B | 155.0 |
| 1104168 | USE 1107273 | | | |
| 1105334 | SPIDER ASSY RH | 900 | AM9828 | 142.0 NS |
| 1105335 | SPIDER ASSY LH | 900 | AM9830 | 142.0 NS |
| 1105379 | DRIVE RIVET | 1100,700,900 | AM8KR | 0.3 |

Note: Select parts per OEM parts manual or consult Pyramid.
 All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.
Prices Subject to Change Without Notice.

August 7, 2010



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|-------------|----------------|-------------|-----------------|------------------|
| 1105406 | GEAR | 900 | AM985 | 279.0 NS |
| 1105461 | USE 1105507 | | | |
| 1105486 | USE 1105508 | | | |
| 1105487 | USE 1105509 | | | |
| 1105488 | 33" SHOE ASSY | 700 | AM7L3-33AY | 273.0 NS |
| 1105507 | 38" SHOE ASSY | 700,900 | AM7L3-38AY | 285.0 SMV |
| 1105508 | 44" SHOE ASSY | 700,900 | AM7L3-44AY | 331.0 NS |
| 1105509 | 50" SHOE ASSY | 700,900 | AM7L3-50AY | 355.0 |
| 1106105 | SPACER | 700,900 | AM8KS | 0.1 |
| 1107271 | 33" SHOE | 700 | AM7L3-33 | 252.0 NS |
| 1107273 | 38" SHOE | 700,900 | AM7L3-38 | 264.0 SMV |
| 1107274 | USE 1107275 | | | |
| 1107275 | 44" SHOE | 700,900 | AM7L3-44 | 310.0 NS |
| 1107275-M | 44" SHOE | 700,900 | AM7L3-44M | 310.0 |
| 1107275-MAY | 44" SHOE ASSY | 700,900 | AM7L3-44MAY | 331.0 |
| 1107277 | 50" SHOE | 700,900 | AM7L3-50 | 324.0 |
| 1107683 | SHAFT | 900 | AM946 | 44.0 NS |
| 1107940 | SHAFT | 900 | AM947 | 55.0 NS |
| 1107941 | SHAFT | | AM749 | 17.0 NS |
| 1108385 | BUSHING | 700 | AM10028 | 13.0 |
| 1108386 | BUSHING & SEAL | 700 | AM10029 | 15.0 NS |
| 1108425 | BUSHING ASSY | 900 | AM965X | 16.8 |
| 1108426 | BUSHING | 900 | AM963 | 16.5 |
| 1150801 | SHAFT | 25 / 25A | AM236 | 64.0 NS |
| 1151083 | SEAL GROUP | 25 / 25A | AM228 | 1.5 NS |
| 1151240 | SEAL GROUP | 25 / 25A | AM207 | 1.0 NS |
| 1153349 | SHAFT | 25 / 25A | AM226 | 32.6 NS |
| 1153414 | PIN | 25 / 25A | AM2210 | 0.2 NS |
| 1153568 | SHAFT | 25 / 25A | AM237 | 79.0 NS |
| 1185183 | BUSHING | 900 | AM932 | 25.0 |
| 1251123 | USE 801339 | 400 | | |
| 1251592 | SHAFT | 500 | AM10003 | 18.0 NS |
| 1255249 | SHAFT | 500 | AM575 | 100.0 SMV |
| 1255250 | SHAFT | 500 | AM576 | 100.0 NS |
| 139160 | TUMBLER | 700 | AM73T1 | 372.0 |
| 139257 | USE 471451 | 700 | | |
| 1400505 | CHAIN LINK | 1100 | PC6528 | NS |
| 1401495 | USE 1101611 | | | |
| 1402791 | 50" SHOE | 1100 | AM8L2-50 | 635.0 NS |
| 1402792 | 60" SHOE ASSY | 1100 | AM8L2-60AY | 745.0 NS |
| 1402940 | USE 1400505 | 1100 | | |
| 1402941 | USE 1400505 | 1100 | | |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 2 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|------------|-------------|--------------------|-----------------|------------------|
| 1404084 | USE 1400505 | 1100 | | |
| 1404226 | SHOE ASSY | 1100 | AM8L2-50AY | 665.0 NS |
| 1404227 | SHOE | 1100 | AM8L2-60 | 698.0 NS |
| 2002366 | BUSHING | 25 / 25A | AM201 | 1.7 NS |
| 2002408 | BUSHING | 25 / 25A | AM223 | 3.2 NS |
| 20266A | BUSHING | 700 | AM711 | 2.5 |
| 20268-K | BUSHING | 700 | AM10017 | 2.0 NS |
| 20270-A | BUSHING | 500 | AM11172 | 1.3 |
| 20272BC | BUSHING | 700 | AM701 | 4.8 NS |
| 236331 | USE 1255249 | 500 | | |
| 236396 | USE 1255250 | 500 | | |
| 236450 | SPROCKET | 500 | AM55C2 | 85.0 NS |
| 236453 | SPROCKET | 500 | AM53C1 | 126.0 |
| 236454 | TUMBLER | 500 | AM53T1 | 215.0 |
| 236455 | USE 457902 | 500 | | |
| 237760 | 32" TREAD | 300 SERIES,400,500 | AM3L1-32 | 90.0 NS |
| 238716 | SPROCKET | 500 | AM55C1 | 75.0 NS |
| 238720 | USE 614487 | | | |
| 238949 | 36" TREAD | 300 SERIES,400,500 | AM3L1-36 | 100.0 |
| 3002302 | SHAFT | 25 / 25A | AM206 | 13.9 NS |
| 3002304 | SLIDE PLATE | 25 / 25A | AM225 | 26.0 NS |
| 307954 | USE 801337 | | | |
| 308010 | USE 1101611 | | | |
| 308011 | USE 1101611 | 900 | | |
| 308073 | USE 1400505 | 1100 | | |
| 308074 | USE 1101611 | 1100 | | |
| 4003300 | ROLLER ASSY | 25 / 25A | AM20R1BX | 109.0 NS |
| 4003401 | TREAD | 25 / 25A | AM2L1-36 | 140.0 NS |
| 4003401-AY | TREAD ASSY | 25 / 25A | AM2L1-36AY | 147.0 NS |
| 4003467 | ROLLER | 25 / 25A | AM20R1 | 72.6 NS |
| 4003471 | CLAMP | 25 / 25A | AM204 | 8.5 NS |
| 401100 | BUSHING | 700,900 | AM901 | 10.0 |
| 401101 | USE 511558 | | | |
| 401107 | USE 1185183 | 900 | | |
| 401108 | BUSHING | 900 | AM931 | 13.0 |
| 401109 | BUSHING | 900 | AM921 | 16.0 |
| 401110 | USE 432985 | 900 | | |
| 401115 | T-BOLT | 900 | AM9320 | 6.0 |
| 401120 | BUSHING | 900 | AM955 | 6.0 |
| 401124 | SHAFT | 900 | AM916 | 19.5 NS |
| 401125 | BUSHING | 900 | AM911 | 1.8 NS |
| 401158 | USE 1101993 | 900 | | |

Note: Select parts per OEM parts manual or consult Pyramid.
 All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.
Prices Subject to Change Without Notice.

August 7, 2010



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|--------|----------------|--------------------|-----------------|------------------|
| 401185 | SPACER | 900 | AM9812 | 21.0 NS |
| 401188 | PIN | 900 | AM9824 | 2.5 NS |
| 401193 | SPACER | 900 | AM9813 | 0.4 NS |
| 401352 | COLLAR | 900 | AM958 | 13.0 NS |
| 401602 | BUSHING | 900 | AM972 | 20.0 |
| 401603 | USE 1101994 | 900 | | |
| 401651 | USE 1104126 | 900 | | |
| 401677 | BUSHING | 400,500 | AM501 | 3.2 |
| 401811 | BUSHING | 900 | AM973 | 17.0 |
| 401817 | ROLLER ASSY | 300 SERIES,400,500 | AM31R1B | 40.0 |
| 401818 | ROLLER ASSY | 400,500 | AM50R1B | 64.0 |
| 401982 | PIN | 900 | AM944 | 0.1 SMV |
| 402192 | USE 1108425 | 900 | | |
| 403053 | BUSHING | 900 | AM971 | 22.5 |
| 403391 | BUSHING | 900 | AM974 | 25.5 |
| 403441 | BAR | 900 | AM9825 | 6.0 NS |
| 403448 | BAR | 900 | AM9826 | 6.0 NS |
| 403766 | DOWEL | 700 | AM759 | 0.1 NS |
| 403767 | DOWEL | 500 | AM569 | 0.1 NS |
| 403769 | 32" TREAD ASSY | 300 SERIES,400,500 | AM3L1-32AY | 98.0 NS |
| 403770 | 36" TREAD ASSY | 300 SERIES,400,500 | AM3L1-36AY | 108.0 |
| 403772 | ROLLER ASSY | 700 | AM71R2B | 74.0 |
| 405631 | BUSHING | 900 | AM975 | 7.5 SMV |
| 406462 | USE 432985 | 700 | | |
| 408090 | USE 424365 | 900 | | |
| 408091 | USE 416359 | | | |
| 408092 | SHAFT | 900 | AM917 | 18.3 |
| 408116 | NUT, SPECIAL | 900 | AM9222 | NS |
| 410965 | U-BOLT | 900 | AM9012 | 4.8 |
| 412066 | BUSHING | 400 | AM10023 | 2.0 NS |
| 414274 | BUSHING | 400 | AM441 | 5.0 NS |
| 414427 | T-BOLT | 400 | AM4220 | 3.0 XI |
| 414428 | BUSHING | 400 | AM431 | 5.0 |
| 414429 | BUSHING | 400 | AM432 | 8.0 |
| 414781 | U-BOLT ASSY | 400 | AM419X | 1.0 |
| 414791 | BUSHING | 400 | AM10007 | 8.0 NS |
| 415221 | USE 1105488 | | | |
| 415222 | USE 1105507 | | | |
| 415223 | USE 1105508 | | | |
| 415224 | USE 1105509 | | | |
| 415528 | T-BOLT | 400 | AM4320 | 3.0 |
| 415530 | BUSHING | 400 | AM421 | 6.0 |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|-----------|------------------|--------------------|-----------------|------------------|
| 416253 | SPACER | 900 | AM9814 | 7.0 NS |
| 416346 | SPACER | 900 | AM915 | 2.7 |
| 416359 | BUSHING | 900 | AM914 | 2.0 |
| 416954 | USE 424365 | 900 | | |
| 419417 | BUSHING | 700 | AM702 | 7.5 |
| 419444 | BUSHING | 400 | AM442 | 4.4 NS |
| 420038 | USE 1104127 | 700 | | |
| 423925 | USE 403772 | 700 | | |
| 423957 | BUSHING | 700 | AM734 | 11.0 |
| 424365 | ROLLER | 700,900 | AM91R3 | 38.0 |
| 424366 | BUSHING | 700,900 | AM913 | 2.0 |
| 425917 | BUSHING | 900 | AM966 | 0.2 NS |
| 428800 | USE 801339 | 400 | | |
| 428801 | USE 801337 | 400,500 | | |
| 428802 | USE 801338 | 700 | | |
| 428803 | USE 1101611 | 900 | | |
| 430686 | USE 424365 | 700 | | |
| 430729 | BUSHING | 700 | AM752 | 19.0 NS |
| 430730 | BUSHING | 700 | AM754 | 14.0 |
| 430731 | BUSHING | 700 | AM753 | 17.0 NS |
| 430732 | BUSHING | 700 | AM756 | 3.1 |
| 430737 | SPACER | 700 | AM919 | 2.2 |
| 430738 | SHAFT | 700 | AM918 | 17.5 |
| 432791 | CHAIN LINK | 700 | PC4518 | 9.3 |
| 432971 | U-BOLT ASSY | 300 SERIES,500 | AM509X | 1.3 |
| 432985 | T-BOLT | 700,900 | AM7322 | 4.5 |
| 438478 | BUSHING | 400 | AM10008 | 6.0 NS |
| 439537 | ROLLER SHELL | 1100 | AM81R1 | 28.0 NS |
| 439537-F | ROLLER SHELL | 1100 | AM81R3 | 29.9 New |
| 439554 | BUSHING | 1100 | AM812 | 1.1 NS |
| 439556 | BUSHING | 1100 | AM811 | 1.9 NS |
| 439557 | SPACER | 1100 | AM814 | 0.7 NS |
| 439884 | PIN | 1100 | AM8P1-17/8 | 16.0 NS |
| 439884-OS | PIN O/S | 1100 | AM8P1-115/16 | 17.3 NS |
| 439885 | PIN | 1100 | AM8P2-17/8 | 13.2 NS |
| 439885-OS | PIN O/S | 1100 | AM8P2-115/16 | 14.2 NS |
| 440590 | T-BOLT | 1100 | AM8220 | 7.3 NS |
| 440965 | THRUST WASHER | 400 | AM10033 | 1.8 NS |
| 441378 | U-BOLT | 900 | AM9013 | 5.4 |
| 441590 | REPAIR LUG, SHOE | 300 SERIES,400,500 | AM3RL | 3.5 |
| 444105 | RETAINER | 900 | AM9411 | 0.3 NS |
| 448177 | U-BOLT | 900 | AM9014 | 3.7 NS |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 5 of 14



American Alloy Corporation

A Subsidiary of P&H Mining Equipment

9501 Allen Drive, Cleveland, OH 44125

Phone: (216) 642-9600

Fax: (216) 642-9677

www.PyramidParts.com

For Replacement In
American
Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|--------|------------------------|--------------------|-----------------|------------------|
| 450718 | SHAFT | 900 | AM11185 | 12.0 |
| 450719 | ROLLER | 900 | AM11184 | 18.0 |
| 450720 | BUSHING | 900 | AM11186 | 2.0 |
| 451355 | SHAFT | 900 | AM945 | 40.0 NS |
| 451356 | RETAINER | 900 | AM9412 | 8.0 NS |
| 451358 | SHIM | 900 | AM9413 | 0.1 NS |
| 451359 | SHIM | 900 | AM9414 | 0.1 NS |
| 451861 | CLAMP, SHAFT | 1100 | AM807 | 18.7 NS |
| 451862 | WASHER, THRUST | 1100 | AM804 | 8.0 NS |
| 451863 | BUSHING | 1100 | AM801 | 17.4 NS |
| 451864 | SHIELD | 1100 | AM805 | 7.0 NS |
| 452247 | U-BOLT | 1100 | AM809 | 8.0 NS |
| 453616 | ROLLER ASSY | 300 SERIES,400,500 | AM30R2B | 54.0 SMV |
| 457864 | BEARING BLOCK ASSY, RH | 500 | AM11176 | 92.0 NS |
| 457865 | BEARING BLOCK ASSY, RH | 500 | AM11178 | 108.0 NS |
| 457866 | BEARING BLOCK ASSY, LH | 500 | AM11182 | 92.0 NS |
| 457888 | BEARING BLOCK ASSY, LH | 500 | AM11180 | 108.0 NS |
| 457902 | IDLER ASSY | 500 | AM52R1B | 225.0 |
| 459157 | ROLLER ASSY | 500 | AM54R3B | 46.0 |
| 459158 | ROLLER ASSY | 500 | AM54R4B | 17.5 |
| 464551 | USE 1104126 | 700,900 | | |
| 464901 | USE 1104127 | 700 | | |
| 468990 | U-BOLT ASSY | 500 | AM5011X | 1.1 NS |
| 471328 | BUSHING | 500 | AM555 | 18.8 |
| 471329 | BUSHING | 500 | AM554 | 27.7 |
| 471451 | IDLER ASSY | 700 | AM72R1B | 378.0 |
| 471501 | IDLER ASSY | 400 | AM42R1B | 143.0 NS |
| 471528 | IDLER ASSY | 900 | AM92R2B | 700.0 |
| 475464 | SPIDER, LH | | AM9829 | 141.0 NS |
| 476071 | SPIDER, RH | | AM9827 | 141.0 NS |
| 500208 | USE 513781 | | | |
| 500934 | BUSHING | 500 | AM11170 | 2.0 NS |
| 500935 | BUSHING | 500 | AM11171 | 1.6 NS |
| 500936 | BUSHING | 700 | AM10027 | 3.5 NS |
| 500937 | BUSHING | 300 SERIES,400,500 | AM301 | 3.0 SMV |
| 501000 | USE 1104126 | 900 | | |
| 501001 | SHAFT | 900 | AM906 | 75.0 |
| 501002 | USE 518651 | 900 | | |
| 501003 | U-BOLT | 700,900 | AM909 | 3.0 |
| 501008 | BUSHING | 900 | AM951 | 32.0 |
| 501009 | BUSHING | 900 | AM952 | 20.0 |
| 501023 | USE 424365 | 900 | | |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 6 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|--------|----------------|--------------------|-----------------|------------------|
| 501034 | USE 1107683 | 900 | | |
| 501049 | BUSHING | 900 | AM953 | 30.0 |
| 501050 | BUSHING | 900 | AM954 | 22.0 NS |
| 501052 | USE 1103083 | 900 | | |
| 501060 | PIN | 900 | AM9811 | 0.3 NS |
| 501061 | PIN | 900 | AM9810 | 1.3 NS |
| 501102 | USE 1400505 | 1100 | | |
| 501360 | USE 401818 | 400,500 | | |
| 501388 | USE 513521 | 400,500 | | |
| 501389 | USE 515493 | | | |
| 501530 | INSERT | 500,700 | AM10018 | 0.5 NS |
| 501818 | USE 401818 | | | |
| 502432 | GEAR | 900 | AM989 | 47.0 NS |
| 502891 | SHAFT | 500 | AM548 | 24.0 NS |
| 502893 | SHAFT | 500 | AM547 | 23.4 NS |
| 502895 | RETAINER | 500 | AM5452 | 2.5 |
| 502896 | RETAINER | 500 | AM5453 | 1.0 |
| 502897 | SPACER | 500 | AM5451 | 0.6 |
| 502898 | ROLLER | 500 | AM54R5 | 31.0 |
| 502899 | BUSHING | 500 | AM543 | 8.0 |
| 502900 | USE 459157 | 500 | | |
| 503375 | SHOE PIN - 13" | 300 SERIES,400,500 | AM3P1-11/4 | 4.5 NS |
| 504007 | BUSHING | 700 | AM743 | 5.5 SMV |
| 504009 | BUSHING | 700 | AM744 | 10.0 NS |
| 504727 | BUSHING | 700 | AM10031 | 4.5 NS |
| 505029 | BUSHING | 700 | AM733 | 20.0 SMV |
| 506146 | BUSHING | 400 | AM10032 | 12.5 NS |
| 506158 | BUSHING | 400 | AM10025 | 11.0 SMV |
| 506225 | SHIELD | 700 | AM715 | 1.8 |
| 506539 | BUSHING | 400 | AM10019 | 8.0 |
| 506540 | THRUST WASHER | 400 | AM10051 | 4.0 NS |
| 506541 | BUSHING | 400,900 | AM10020 | 7.0 SMV |
| 507041 | RETAINER | 500 | AM5464 | 2.0 |
| 507042 | RETAINER | 500 | AM5463 | 1.5 |
| 507043 | ROLLER | 500 | AM54R6 | 10.0 |
| 507044 | USE 1034452 | 500 | | |
| 507127 | USE 1034452 | 500 | | |
| 507128 | USE 459158 | 500 | | |
| 507129 | BUSHING | 500 | AM544 | 4.0 |
| 507261 | TUMBLER | 400 | AM43T1 | 148.0 NS |
| 507270 | USE 471501 | 400 | | |
| 507314 | SHAFT | 500 | AM10004 | 35.0 NS |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 7 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|-----------|-------------------|-------------|-----------------|------------------|
| 507409 | SHAFT | 400 | AM407 | 18.5 NS |
| 507418 | BUSHING | 400 | AM10010 | 14.0 SMV |
| 507419 | BUSHING | 400 | AM10022 | 8.0 NS |
| 507420 | BUSHING | 400 | AM10009 | 9.0 SMV |
| 508115 | SHAFT | 900 | AM986 | 66.0 NS |
| 508340 | BEARING BLOCK, RH | 500 | AM11183 | 80.0 NS |
| 508353 | BEARING BLOCK, RH | 500 | AM11177 | 92.0 NS |
| 508356 | BEARING BLOCK, LH | 500 | AM11179 | 90.0 NS |
| 508357 | BEARING BLOCK, LH | 500 | AM11181 | 82.0 NS |
| 508779 | SHIELD | 700 | AM705 | 2.0 |
| 508985 | BUSHING | 500 | AM564 | 11.0 SMV |
| 509201 | T-BOLT | 500 | AM529 | 3.2 |
| 509519 | RETAINER | | AM4461 | 1.9 NS |
| 511558 | SHIELD | 900 | AM905 | 4.0 |
| 511559 | USE 1104126 | 700,900 | | |
| 512816 | ROLLER | 900 | AM94R3 | 40.0 NS |
| 513066 | USE 1107940 | 900 | | |
| 513067 | RETAINER | 900 | AM949 | 6.0 NS |
| 513082 | ROLLER ASSY | 900 | AM94R3BX | 62.0 NS |
| 513084 | RETAINER | 900 | AM948 | 5.0 |
| 513370 | ROLLER | 400 | AM44R8 | 8.6 NS |
| 513370 AY | ROLLER ASSY | 400 | AM44R8BX | 15.5 NS |
| 513521 | SHIELD | 400,500 | AM505 | 1.5 |
| 513524 | SHIELD | 400,500 | AM514 | 0.8 |
| 513736 | BUSHING | 500 | AM552 | 24.0 |
| 513781 | U-BOLT ASSY | 400,500 | AM5010X | 1.0 |
| 513907 | SHIELD | 700 | AM708 | 3.8 |
| 513908 | SHAFT | 700 | AM707 | 72.0 |
| 513977 | BUSHING | 700 | AM761 | 24.0 |
| 515160 | SHAFT | 700 | AM706 | 35.0 |
| 515493 | SHAFT | 400,500 | AM506 | 22.0 |
| 517534 | ROLLER | 900 | AM94R2 | 164.0 NS |
| 517535 | BUSHING | 900 | AM943 | 13.0 |
| 517536 | ROLLER ASSY | 900 | AM94R2B | 176.0 NS |
| 518287 | BUSHING | 400 | AM10052 | 5.2 NS |
| 518507 | BUSHING | 700 | AM745 | 9.8 |
| 518511 | SHAFT | 700 | AM748 | 17.0 |
| 518512 | BUSHING | 700 | AM747 | 4.4 |
| 518515 | RETAINER | 400 | AM10053 | 2.0 NS |
| 518517 | USE 1102026 | 700 | | |
| 518651 | SHAFT | 900 | AM927 | 201.0 |
| 518933 | REPAIR LUG, SHOE | 700,900 | AM7RL | 10.0 |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 8 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|-----------|---------------------------|-------------|-----------------|------------------|
| 519252 | BUSHING | 500 | AM563 | 13.5 |
| 519290 | ROLLER ASSY | 500 | AM54R5BX | 42.0 |
| 519291 | ROLLER ASSY | 500 | AM54R6BX | 16.2 |
| 522278 | SHAFT | 1100 | AM806 | 128.0 NS |
| 522488 | ROLLER ASSY | 1100 | AM80R1BX | 669.1 NS |
| 522997 | USE 1102026 | 700 | | |
| 523300 | ROLLER ASSY | 1100 | AM80R2BX | 694.1 NS |
| 523860 | USE 1034452 | 500 | | |
| 525372 | USE 519291 | 500 | | |
| 527310 | SHAFT | 500 | AM10002 | 34.0 NS |
| 528245 | USE 621344 | 1100 | | |
| 600704 | USE 471528 | 900 | | |
| 600709 | SHAFT | 900 | AM936 | 378.0 |
| 600716 | SPROCKET | 900 | AM93C1 | 386.0 |
| 600735 | SHAFT | 900 | AM957 | 410.0 NS |
| 600756 | GEAR | 900 | AM984 | 586.0 NS |
| 600799 | TUMBLER | 900 | AM93T1 | 688.0 |
| 600868 | SHAFT | 900 | AM956 | 450.0 NS |
| 601250 | SHAFT | 900 | AM990 | 88.0 NS |
| 605429 | SHAFT | 900 | AM981 | 330.0 NS |
| 606980 | SHAFT | 400 | AM436 | 80.5 NS |
| 606981 | SPROCKET | 400 | AM43C2 | 76.0 NS |
| 607019 | SPROCKET | 400 | AM43C1 | 73.0 NS |
| 607386 | USE 1107271 | | | |
| 608219 | SPROCKET | 700 | AM73C1 | 190.0 NS |
| 609319 | GEAR, 47T | 900 | AM980 | 300.0 NS |
| 610961 | USE 620359-STD CRANE ONLY | 700 | | |
| 614269 | SPROCKET | 700 | AM73C2 | 200.0 |
| 614486 | USE 614486-TH | 700 | AM737 | 150.0 NS |
| 614486-TH | SHAFT | 700 | AM738 | 149.7 |
| 614487 | USE 620359 | 700 | | |
| 616804 | SHAFT | 1100 | AM826 | 427.0 NS |
| 616821 | BUSHING | 1100 | AM821 | 22.5 NS |
| 616822 | BUSHING | 1100 | AM832 | 25.0 NS |
| 617137 | ROLLER SHELL | 1100 | AM81R2 | 78.0 NS |
| 617750 | SHAFT | 900 | AM959 | 838.0 NS |
| 620359 | SHAFT | 700 | AM736 | 162.0 NS |
| 621344 | ROLLER SHELL | 1100 | AM80R1 | 474.0 NS |
| 622061 | USE 1255249 | 500 | | |
| 622066 | SHAFT | 900 | AM976 | 380.0 NS |
| 700718 | USE 1105334 | 900 | | |
| 700719 | USE 1105335 | 900 | | |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 9 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|-----------|--------------------------------------|--------------------|-----------------|------------------|
| 700722 | DRUM, CLUTCH | 900 | AM982 | 820.0 NS |
| 706385 | USE 1107273 | | | |
| 706386 | USE 1107275 | | | |
| 706387 | USE 1107277 | | | |
| 716702 | USE 1402791 | 1100 | | |
| 716703 | USE 1404227 | 1100 | | |
| 800113 | BEARING | 900 | AM9821 | 9.5 NS |
| 800143 | BEARING, ROLLER | 500 | AM5461 | 1.8 |
| 800147 | BEARING, ROLLER | 500,900 | AM545 | 3.5 |
| 800198 | BEARING CONE | 900 | AM9831 | 8.0 NS |
| 800210 | CONE, TAPERED BEARING | 900 | AM9815 | 5.0 NS |
| 800245 | BEARING CUP | 900 | AM9832 | 6.0 NS |
| 800248 | BEARING CUP | 900 | AM9816 | 5.0 NS |
| 801337 | CHAIN LINK | 400,500 | PC3514 | 4.7 |
| 801338 | CHAIN LINK | 700 | PC4015A | 6.2 |
| 801339 | CHAIN LINK | 300 SERIES,400 | PC3012 | 3.3 |
| 801715 | USE 801339 | 300 SERIES | | |
| 802547 | CAPSCREW | 900 | AM9710 | 0.7 NS |
| 803264 | SET SCREW | 900 | AM9712 | 0.2 NS |
| 803386 | SET SCREW | 25 / 25A,900 | AM2010 | 0.1 NS |
| 803391 | SET SCREW | 25 / 25A | AM229 | 0.1 NS |
| 803397 | SET SCREW | 900 | AM11187 | 0.1 |
| 803696 | SCREW | 500 | AM5465 | 0.1 |
| 803711 | SCREW | 900 | H08001 | 0.1 NS |
| 804370 | NUT, HEAVY HEX. | 1100,900 | AM8013 | 0.4 NS |
| 804372 | NUT, HEAVY HEX. | 1100,900 | AM8010 | 0.4 |
| 804403 | NUT | 700 | AM7010 | 0.2 |
| 804405 | NUT | See below | AM3221 | 0.2 |
| | Applications: 300 SERIES,400,500,700 | | | |
| 804438 | USE 804405 | 700 | | |
| 804440 | NUT | 1100,700,900 | AM7323 | 0.4 |
| 804579 | PIN RIVET | 300 SERIES,400,500 | AM1K | 0.1 |
| 804581-SP | RIVET | | AM7KS | 0.3 XI |
| 804720 | NUT | 900 | AM9713 | 0.1 NS |
| 804725 | NUT | 700,900 | AM9010 | 0.2 |
| 805065 | LOCKWASHER | 700,900 | AM9011 | 0.1 |
| 805075 | WASHER | 25 / 25A | AM2013 | 0.1 NS |
| 805077 | PLN WASHER | 900 | AM3012 | 0.1 NS |
| 805078 | WASHER, 1" HARDEN | 1100,900 | AM8012 | 0.3 NS |
| 805080 | WASHER | 1100,900 | AM8011 | 0.1 NS |
| 805426 | SEAL | 500 | AM567 | 0.3 |
| 805442 | OIL SEAL | 700 | AM10055 | 0.4 |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 10 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|--------|---|--------------|-----------------|------------------|
| 805455 | SEAL | | AM968 | NS |
| 806496 | BEARING | 900 | AM9834 | 1.5 NS |
| 806797 | CAPSCREW | 900 | AM9711 | 0.4 NS |
| 806918 | RIVET | 700,900 | AM9K | 0.2 |
| 807742 | SEAL | 25 / 25A | AM238 | 0.4 NS |
| 807920 | BEARING, CYL. ROLLER | 900 | AM9410 | 6.0 NS |
| 808180 | BEARING CUP | 900 | AM942 | 14.0 NS |
| 808229 | SET SCREW | 900 | AM11188 | 0.1 |
| 809339 | WASHER | 900 | AM11189 | 0.2 NS |
| 809768 | SEAL | | AM967 | NS |
| 810369 | CAPSCREW | 900 | AM6016 | 0.5 NS |
| 810460 | GREASE FITTING | See below | AM1019 | 0.1 |
| | Applications: 1100,300 SERIES,400,500,700,900 | | | |
| 810521 | BEARING CUP | 900 | AM9818 | 6.0 NS |
| 810522 | BEARING CUP | 900 | AM9820 | 8.0 NS |
| 810524 | BEARING CONE | 900 | AM9817 | 6.0 NS |
| 810525 | BEARING CONE | 900 | AM9819 | 8.0 NS |
| 810527 | BEARING | 900 | AM9822 | 4.0 NS |
| 810620 | USE 1101611 | 1100,900 | | |
| 810778 | SEAL | 900 | AM964 | 1.0 |
| 810933 | CHAIN ASSY | 500 | PC60-4X244 | 60.0 NS |
| 810935 | CHAIN ASSY | 500 | PC60-4X250 | 51.0 NS |
| 810939 | CHAIN ASSY | 700 | PC80-4X232 | 139.0 |
| 811117 | SCREW | 25 / 25A,900 | AM209 | 0.1 NS |
| 811163 | CAPSCREW | 500,900 | AM535 | 0.1 NS |
| 811292 | CHAIN ASSY | 900 | PC80-6X260 | 208.0 XI |
| 812515 | BEARING | 900 | AM9833 | 6.0 NS |
| 812739 | USE 800245 | | | |
| 813076 | BEARING | | AM4459 | 1.1 NS |
| 814469 | CHAIN ASSY | 700 | PC80-4X236 | 141.0 NS |
| 814627 | CHAIN ASSY | 400 | PC50-4X274 | 39.0 NS |
| 814647 | CAPSCREW | 25 / 25A,900 | AM2012 | 0.3 NS |
| 814781 | NUT | 900 | AM1011 | 0.1 NS |
| 815782 | USE 1101611 | 1100 | | |
| 827450 | O-RING | 25 / 25A,900 | AM208 | 0.1 NS |
| 827591 | RIVET | 1100 | AM8K | 0.3 NS |
| 827755 | CHAIN ASSY | 900 | PC80-6X290 | 232.0 NS |
| 828328 | BEARING CONE | 900 | AM941 | 14.0 NS |
| 828813 | USE 1034179 | | | |
| 829404 | CAPSCREW | 1100 | H07389 | 1.7 NS |
| 832084 | KEEPER PIN | 25 / 25A | AM2K | 0.1 NS |
| 832318 | SET SCREW | 25 / 25A | AM6010 | 0.1 NS |

Note: Select parts per OEM parts manual or consult Pyramid.
 All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.
Prices Subject to Change Without Notice.

August 7, 2010



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|------------|--------------------------------------|--------------------|-----------------|------------------|
| 832425 | SEAL | | AM2313 | 0.5 NS |
| 832976 | O-RING | 25 / 25A | AM239 | 0.1 NS |
| 838578 | SEAL | 25 / 25A | AM2310 | 0.2 NS |
| 840065 | O-RING | 25 / 25A | AM227 | 0.5 NS |
| 840070 | O-RING | 25 / 25A | AM2311 | 0.1 NS |
| 840073 | O-RING | 25 / 25A | AM2312 | 0.1 NS |
| 841283 | USE 1400505 | 1100 | | |
| 841328 | PIPE PLUG | 25 / 25A | AM2011 | 0.1 NS |
| 841935 | USE 1101611 | | | |
| A-4481 | USE 403772 | 700 | | |
| A-5189 | PIN | 700,900 | AM7P2-13/4 | 10.1 |
| A-5189 OS | PIN, 1/16" OS | 700,900 | AM7P2-113/16 | 10.5 |
| A-5189 OS1 | PIN, 1/4" OS | 700,900 | AM7P2-2 | 13.3 |
| A-6603 | USE AM70R2B & RELATED PARTS | 700 | | |
| A-9171 | BUSHING | 300 SERIES,400,500 | AM311 | 2.0 |
| A-9173 | USE 401817 | 300 SERIES,400,500 | | |
| A-9409 | SHAFT | 300 SERIES,400,500 | AM306 | 13.0 NS |
| A-9426 | SHAFT | 300 SERIES | AM316 | 6.0 NS |
| B-6678 | USE 501530 | | | |
| C-3564 | SHOE PIN - 13" | 300 SERIES,400,500 | AM3P1-11/8 | 3.7 |
| C-3564 OS | SHOE PIN, OS - 13" | 300 SERIES,400,500 | AM3P1-13/16 | 4.2 SMV |
| D-8404 | BUSHING | 300 SERIES | AM331 | 13.0 NS |
| D-8408 | BUSHING | 300 SERIES | AM321 | 8.0 NS |
| D-8409B | SHIM 1/4" | See below | AM3225 | 1.0 NS |
| | Applications: 300 SERIES,400,500,700 | | | |
| D-8409C | SHIM 1/8" | See below | AM3226 | 0.5 SMV |
| | Applications: 300 SERIES,400,500,700 | | | |
| F-3411 | SHAFT | 300 SERIES,400 | AM326 | 62.0 SMV |
| F-5612 | BUSHING | 700 | AM10006 | 5.2 NS |
| F-5827 | BUSHING | 700 | AM10011 | 7.0 NS |
| F-5846M | BUSHING | 500,700 | AM10014 | 2.8 |
| F-5857 | BUSHING | 700 | AM10005 | 9.8 NS |
| F-5950 | T-BOLT | 500,700 | AM7220 | 3.5 |
| F-5951 | T-BOLT | 700 | AM7320 | 3.9 NS |
| F-5955 | SHAFT | 700 | AM726 | 105.0 |
| F-5957 | USE 423957 | | | |
| F-5958 | BUSHING | 700 | AM732 | 19.0 NS |
| F-5959 | BUSHING | 700 | AM731 | 12.0 |
| F-5962 | USE 515160 | 700 | | |
| F-5963 | SHAFT | 700 | AM716 | 12.0 |
| F-5982 | BUSHING | 700 | AM10012 | 29.0 |
| F-6058 | SHAFT | 300 SERIES | AM336 | 120.0 NS |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 12 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|----------|-----------------|--------------------|-----------------|------------------|
| F-6096 | BUSHING | 700 | AM774 | 17.5 |
| F-6293 | BUSHING | 700 | AM755 | 35.0 NS |
| F-6444 | USE L-8033 | | | |
| F-6445 | USE L-8032 | | | |
| F-7895 | BUSHING | 700 | AM771 | 19.0 |
| F-7896 | USE 513977 | 700 | | |
| F-7897 | BUSHING | 700 | AM773 | 16.0 |
| L-3395 | BUSHING | 700 | AM735 | 10.0 NS |
| L-3716 | BUSHING | 700 | AM751 | 24.0 |
| L-6369 | BUSHING | 700 | AM10056 | 14.0 SMV |
| L-6600 | BUSHING | 500 | AM11168 | 4.0 |
| L-6601 | BUSHING | 500 | AM11169 | 3.0 |
| L-6638 | BUSHING | 500 | AM541 | 5.2 NS |
| L-6641 | BUSHING | 500 | AM542 | 4.2 NS |
| L-6655 | BUSHING | 500 | AM571 | 10.0 |
| L-6656 | BUSHING | 500 | AM577 | 12.7 |
| L-6657 | BUSHING | 500 | AM572 | 9.0 |
| L-6721 | BUSHING | 500 | AM574 | 5.5 |
| L-6761 | BUSHING | 400,500 | AM10015 | 2.0 NS |
| L-6764 | BUSHING | 500 | AM11173 | 3.6 NS |
| L-6891 | BUSHING | 500 | AM11174 | 4.4 NS |
| L-6892 | BUSHING | 500 | AM11175 | 6.0 NS |
| L-6893 | BUSHING | 500 | AM581 | 18.0 |
| L-7054-C | SPACER | 1100 | AM8K2S | 0.1 NS |
| L-7108 | BUSHING | 700 | AM772 | 6.0 NS |
| L-7470 | USE 453616 | 300 SERIES,400,500 | | |
| L-7762 | USE 500937 | | | |
| L-7787 | USE 432971 | 300 SERIES,500 | | |
| L-8032 | U-BOLT | 700 | AM709 | 2.3 |
| L-8033 | U-BOLT | 700 | AM719 | 1.5 |
| L-9330 | BUSHING | 700 | AM10013 | 3.8 |
| L-9599 | BEARING, SLEEVE | 900 | AM9823 | 0.1 NS |
| L-9600 | BUSHING | 900 | AM10054 | 0.1 NS |
| M-4672 | BUSHING | 500 | AM566 | 5.7 NS |
| M-4675 | BUSHING | 500 | AM573 | 20.0 |
| M-4677 | SHAFT | 500 | AM556 | 105.0 NS |
| M-4680 | SHAFT | 500 | AM557 | 115.0 NS |
| M-4682 | SHAFT | 500 | AM565 | 105.0 |
| M-4763 | USE 471328 | 500 | | |
| M-4764 | USE 471328 | 500 | | |
| M-4765 | USE 471329 | 500 | | |
| M-4766 | USE 471329 | 500 | | |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 13 of 14



American Alloy Corporation
 A Subsidiary of P&H Mining Equipment
 9501 Allen Drive, Cleveland, OH 44125
 Phone: (216) 642-9600
 Fax: (216) 642-9677
 www.PyramidParts.com

For Replacement In
 American
 Master Numerical by OEM No

| OEM No | Description | Application | Pyramid Part No | Approx Wt. (LBS) |
|------------|--------------|-------------|-----------------|------------------|
| M-4767 | BUSHING | 500 | AM553 | 33.0 |
| M-4779 | BUSHING | 500 | AM562 | 8.5 NS |
| M-4780 | BUSHING | 500 | AM561 | 14.5 |
| M-5070 | BUSHING | 500 | AM531 | 12.0 |
| M-5073 | BUSHING | 500 | AM532 | 8.0 |
| M-5075 | SHAFT | 500 | AM536 | 104.0 |
| M-5158 | BUSHING | 500 | AM521 | 7.5 |
| M-5159 | SHAFT | 500 | AM526 | 66.0 |
| M-5244 | T-BOLT | 500 | AM5220 | 3.0 NS |
| M-5253 | U-BOLT ASSY | 500 | AM519X | 1.0 NS |
| M-5254 | USE 513524 | 500 | | |
| M-5255 | SHAFT | 400,500 | AM516 | 7.5 |
| M-5256 | USE 513781 | 500 | | |
| M-5512 | U-BOLT ASSY | 500 | AM518X | 1.3 |
| M-6240 | WASHER | 500 | AM534 | 1.0 |
| M-6796 | BUSHING | 500 | AM551 | 15.0 |
| M-6798 | U-BOLT ASSY | 500 | AM5110X | 1.0 |
| M-7045 | PIN, 1/8" OS | 700,900 | AM7P2-17/8 | 11.6 NS |
| M-7047 | USE 503375 | | | |
| PC50-5X112 | CHAIN ASSY | | PC50-5X112 | New |

Note: Select parts per OEM parts manual or consult Pyramid.

All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed and provided by Pyramid Parts is the product of these manufacturers.

Prices Subject to Change Without Notice.

August 7, 2010

Page: 14 of 14